

L Number	Hits	Search Text	DB	Time stamp
-	396704	epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$	USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB	2003/06/15 11:44
-	217873	hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking)) adj2 agent)	USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB	2003/06/15 11:45
-	180086	(metal alumin\$4 magnes\$4 zinc boron calcium nickel cobalt tin molybden\$5 copper iron titani\$4) near\$ hydroxide	USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB	2003/07/09 10:20
-	8742	(epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) and (hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking)) adj2 agent) and (metal alumin\$4 magnes\$4 zinc boron calcium nickel cobalt tin molybden\$5 copper iron titani\$4) near\$ hydroxide)	USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB	2003/05/29 10:07
-	703472	aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene) "bisphenol S" "bisphenol A" "bisphenol F" "bisphenol-S" "bisphenol-A" "bisphenol-F"	USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB	2003/06/04 15:20
-	6063	(hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking)) adj2 agent)) same (phenolic or phenol) same (aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene) "bisphenol S" "bisphenol A" "bisphenol F" "bisphenol-S" "bisphenol-A" "bisphenol-F")	USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB	2003/05/29 10:13
-	741	(epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) and ((hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking)) adj2 agent)) same (phenolic or phenol) same (aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene) "bisphenol S" "bisphenol A" "bisphenol F" "bisphenol-S" "bisphenol-A" "bisphenol-F")) and ((metal alumin\$4 magnes\$4 zinc boron calcium nickel cobalt tin molybden\$5 copper iron titani\$4) near\$ hydroxide)	USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB	2003/05/29 10:16
-	11623	(epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) same (novolak or novolac) same (aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene) "bisphenol S" "bisphenol A" "bisphenol F" "bisphenol-S" "bisphenol-A" "bisphenol-F")	USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB	2003/05/29 10:17
-	430	((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) and ((hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking)) adj2 agent)) same (phenolic or phenol) same (aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene) "bisphenol S" "bisphenol A" "bisphenol F" "bisphenol-S" "bisphenol-A" "bisphenol-F")) and ((metal alumin\$4 magnes\$4 zinc boron calcium nickel cobalt tin molybden\$5 copper iron titani\$4) near\$ hydroxide)) and ((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) same (novolak or novolac) same (aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene) "bisphenol S" "bisphenol A" "bisphenol F" "bisphenol-S" "bisphenol-A" "bisphenol-F"))	USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB	2003/05/29 10:18
-	280576	prepreg or impregnat\$5	USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB	2003/06/04 15:29

-	137	(((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) and ((hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking)) adj2 agent)) same (phenolic or phenol) same (aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene) "bisphenol S" "bisphenol A" "bisphenol F" "bisphenol-S" "bisphenol-A" "bisphenol-F")) and ((metal alumin\$4 magnes\$4 zinc boron calcium nickel cobalt tin molybden\$5 copper iron titani\$4) near\$ hydroxide)) and ((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) same (novolak or novolac) same (aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene) "bisphenol S" "bisphenol A" "bisphenol F" "bisphenol-S" "bisphenol-A" "bisphenol-F")))) and (pregreg or impregnat\$5)	USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB	2003/05/29 10:20
-	334951	silicone polysiloxane polyorganosiloxane polydiorganosiloxane organopolysiloxane organosiloxane diorganopolysiloxane siloxane organosilicone	USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB	2003/05/29 10:21
-	56	(((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) and ((hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking)) adj2 agent)) same (phenolic or phenol) same (aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene) "bisphenol S" "bisphenol A" "bisphenol F" "bisphenol-S" "bisphenol-A" "bisphenol-F")) and ((metal alumin\$4 magnes\$4 zinc boron calcium nickel cobalt tin molybden\$5 copper iron titani\$4) near\$ hydroxide)) and ((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) same (novolak or novolac) same (aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene) "bisphenol S" "bisphenol A" "bisphenol F" "bisphenol-S" "bisphenol-A" "bisphenol-F")))) and (pregreg or impregnat\$5)) and (silicone polysiloxane polyorganosiloxane polydiorganosiloxane organopolysiloxane organosiloxane diorganopolysiloxane siloxane organosilicone )	USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB	2003/05/29 10:24
-	68269	metal adj hydroxide	USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB	2003/05/29 10:24
-	10	(((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) and ((hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking)) adj2 agent)) same (phenolic or phenol) same (aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene) "bisphenol S" "bisphenol A" "bisphenol F" "bisphenol-S" "bisphenol-A" "bisphenol-F")) and ((metal alumin\$4 magnes\$4 zinc boron calcium nickel cobalt tin molybden\$5 copper iron titani\$4) near\$ hydroxide)) and ((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) same (novolak or novolac) same (aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene) "bisphenol S" "bisphenol A" "bisphenol F" "bisphenol-S" "bisphenol-A" "bisphenol-F")))) and (pregreg or impregnat\$5)) and (silicone polysiloxane polyorganosiloxane polydiorganosiloxane organopolysiloxane organosiloxane diorganopolysiloxane siloxane organosilicone )) and (metal adj hydroxide)	USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB	2003/05/29 10:26
-	47636	aluminum adj hydroxide) (magnesium adj hydroxide) (zinc adj borate	USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB	2003/05/29 10:25

	73	<p>(((((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) and ((hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking)) adj2 agent)) same (phenolic or phenol) same (aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene) "bisphenol S" "bisphenol A" "bisphenol F" "bisphenol-S" "bisphenol-A" "bisphenol-F")) and ((metal alumin\$4 magnes\$4 zinc boron calcium nickel cobalt tin molybden\$5 copper iron titani\$4) near\$ hydroxide)) and ((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) same (novolak or novolac) same (aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene) "bisphenol S" "bisphenol A" "bisphenol F" "bisphenol-S" "bisphenol-A" "bisphenol-F")) and (pregreg or impregnat\$5)) and (aluminum adj hydroxide) (magnesium adj hydroxide) (zinc adj borate)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	2003/05/29 10:27
	38	<p>(((((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) and ((hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking)) adj2 agent)) same (phenolic or phenol) same (aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene) "bisphenol S" "bisphenol A" "bisphenol F" "bisphenol-S" "bisphenol-A" "bisphenol-F")) and ((metal alumin\$4 magnes\$4 zinc boron calcium nickel cobalt tin molybden\$5 copper iron titani\$4) near\$ hydroxide)) and ((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) same (novolak or novolac) same (aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene) "bisphenol S" "bisphenol A" "bisphenol F" "bisphenol-S" "bisphenol-A" "bisphenol-F")) and (pregreg or impregnat\$5)) and (silicone polysiloxane polyorganosiloxane polydiorganosiloxane organopolysiloxane organosiloxane diorganopolysiloxane siloxane organosilicone )) and (aluminum adj hydroxide) (magnesium adj hydroxide) (zinc adj borate)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	2003/05/29 10:29
	49	<p>(((((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) and ((hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking)) adj2 agent)) same (phenolic or phenol) same (aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene) "bisphenol S" "bisphenol A" "bisphenol F" "bisphenol-S" "bisphenol-A" "bisphenol-F")) and ((metal alumin\$4 magnes\$4 zinc boron calcium nickel cobalt tin molybden\$5 copper iron titani\$4) near\$ hydroxide)) and ((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) same (novolak or novolac) same (aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene) "bisphenol S" "bisphenol A" "bisphenol F" "bisphenol-S" "bisphenol-A" "bisphenol-F")) and (pregreg or impregnat\$5)) and (aluminum adj hydroxide) (magnesium adj hydroxide) (zinc adj borate)) or (((((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) and ((hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking)) adj2 agent)) same (phenolic or phenol) same (aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene) "bisphenol S" "bisphenol A" "bisphenol F" "bisphenol-S" "bisphenol-A" "bisphenol-F")) and ((metal alumin\$4 magnes\$4 zinc boron calcium nickel cobalt tin molybden\$5 copper iron titani\$4) near\$ hydroxide)) and ((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) same (novolak or novolac) same (aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene) "bisphenol S" "bisphenol A" "bisphenol F" "bisphenol-S" "bisphenol-A" "bisphenol-F")) and (pregreg or impregnat\$5)) and (silicone polysiloxane polyorganosiloxane polydiorganosiloxane organopolysiloxane organosiloxane diorganopolysiloxane siloxane organosilicone )) and (aluminum adj hydroxide) (magnesium adj hydroxide) (zinc adj borate))) and ((flame adj (retardant proof resistant)) or (fire adj (retardant proof resistant)))</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	2003/05/29 10:42
	7	<p>"6392003" "6242110"</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	2003/05/29 10:42

-	48532	((aluminum magnesium) adj (hydroxide or \$4hydroxide)) or (zinc adj borate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/04 15:19
-	397058	epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/04 15:19
-	218049	hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking)) adj2 agent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/04 15:20
-	703931	aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene) "bisphenol S" "bisphenol A" "bisphenol F" "bisphenol-S" "bisphenol-A" "bisphenol-F"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/04 15:23
-	954	(epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$ ) and ((hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking)) adj2 agent) ) same (aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene) "bisphenol S" "bisphenol A" "bisphenol F" "bisphenol-S" "bisphenol-A" "bisphenol-F" )) and (((aluminum magnesium) adj (hydroxide or \$4hydroxide)) or (zinc adj borate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/04 15:25
-	41769	(aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene)) and ("bisphenol S" "bisphenol A" "bisphenol F" "bisphenol-S" "bisphenol-A" "bisphenol-F")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/04 15:25
-	74131	"bisphenol S" "bisphenol A" "bisphenol F" "bisphenol-S" "bisphenol-A" "bisphenol-F"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/04 15:25
-	671569	(aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 11:50
-	130	(epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$ ) and ((hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking)) adj2 agent) ) same ("bisphenol S" "bisphenol A" "bisphenol F" "bisphenol-S" "bisphenol-A" "bisphenol-F") same ((aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene)))) and (((aluminum magnesium) adj (hydroxide or \$4hydroxide)) or (zinc adj borate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/04 15:27
-	72	((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$ ) and (hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking)) adj2 agent) ) same ("bisphenol S" "bisphenol A" "bisphenol F" "bisphenol-S" "bisphenol-A" "bisphenol-F") same ((aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene)))) and (((aluminum magnesium) adj (hydroxide or \$4hydroxide)) or (zinc adj borate))) and (flame or fire)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/04 15:27
-	280747	prepreg or impregnat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/04 15:29

-	20	((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$ ) and ((hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking)) adj2 agent ) same ("bisphenol S" "bisphenol A" "bisphenol F" "bisphenol-S" "bisphenol-A" "bisphenol-F") same ((aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene)))) and (((aluminum magnesium) adj (hydroxide or \$4hydroxide)) or (zinc adj borate))) and (flame or fire) and (pregreg or impregnate\$5 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/04 15:30
-	398100	epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/16 09:45
-	218751	hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking)) adj2 agent)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 11:46
-	10153	(hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking)) adj2 agent ) near5 (phenol or phenolic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 11:46
-	7527	(epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$ ) and ((hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking)) adj2 agent ) near5 (phenol or phenolic))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 11:46
-	180724	(metal alumin\$4 magnes\$4 zinc boron calcium nickel cobalt tin molybden\$5 copper iron titani\$4) near5 hydroxide	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/16 09:48
-	654977	(flame adj (retardant retarding proof)) of (fire adj (retardant retarding proof)) flameproof fireproof	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/16 09:54
-	281	((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$ ) and ((hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking)) adj2 agent ) near5 (phenol or phenolic))) and ((metal alumin\$4 magnes\$4 zinc boron calcium nickel cobalt tin molybden\$5 copper iron titani\$4) near5 hydroxide ) and ((flame adj (retardant retarding proof)) of (fire adj (retardant retarding proof)) flameproof fireproof)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 11:49
-	201	((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$ ) and ((hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking)) adj2 agent ) near5 (phenol or phenolic))) and ((metal alumin\$4 magnes\$4 zinc boron calcium nickel cobalt tin molybden\$5 copper iron titani\$4) near5 hydroxide ) and (((flame adj (retardant retarding proof)) of (fire adj (retardant retarding proof)) flameproof fireproof) same (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$ ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 11:49
-	673106	(aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 11:59
-	83574	((aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene)) ) same ((hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking)) adj2 agent ) ) or phenol or phenolic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 12:00

-	128	((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$ ) and ((hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking) adj2 agent) ) near5 (phenol or phenolic))) and ((metal alumin\$4 magnes\$4 zinc boron calcium nickel cobalt tin molybden\$5 copper iron titani\$4) near5 hydroxide ) and (((flame adj (retardant retarding proof) of (fire adj (retardant retarding proof) flameproof fireproof) same (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$ ))) and (((aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene) ) ) same ((hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking) adj2 agent) ) or phenol or phenolic) ((hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking) adj2 agent) ) near5 (phenol or phenolic) same ((aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene) ) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 12:02
-	1276	((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$ ) and ((hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking) adj2 agent) ) near5 (phenol or phenolic) same ((aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene) ) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/16 09:50
-	49	((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$ ) and ((hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking) adj2 agent) ) near5 (phenol or phenolic))) and ((metal alumin\$4 magnes\$4 zinc boron calcium nickel cobalt tin molybden\$5 copper iron titani\$4) near5 hydroxide ) and (((flame adj (retardant retarding proof) of (fire adj (retardant retarding proof) flameproof fireproof) same (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$ ))) and (((hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking) adj2 agent) ) near5 (phenol or phenolic) same ((aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene) ) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 11:54
-	705518	aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene) "bisphenol-s" "bisphenol-f" "bisphenol-f" "bisphenol-f" "bisphenol-a" "bisphenol a"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 12:02
-	102013	(aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene) "bisphenol-s" "bisphenol-f" "bisphenol-f" "bisphenol-f" "bisphenol-a" "bisphenol a" same ((hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking) adj2 agent) ) or phenol or phenolic) ((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$ ) and ((hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking) adj2 agent) ) near5 (phenol or phenolic))) and ((metal alumin\$4 magnes\$4 zinc boron calcium nickel cobalt tin molybden\$5 copper iron titani\$4) near5 hydroxide ) and (((flame adj (retardant retarding proof) of (fire adj (retardant retarding proof) flameproof fireproof) same (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$ ))) and ((aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene) "bisphenol-s" "bisphenol-f" "bisphenol-f" "bisphenol-f" "bisphenol-a" "bisphenol a" same ((hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking) adj2 agent) ) or phenol or phenolic) (phenol adj2 biphenyl adj2 aralkyl) (phenol adj2 phenylene adj2 aralkyl) (phenol adj2 diphenyl adj2 ether adj2 aralkyl) (naphthalene near3 (phenol or phenolic) adj2 (novolac or novolak))) (anthracene near3 (phenol or phenolic) adj2 (novolac or novolak))) (biphenylene near3 (phenol or phenolic) adj2 (novolac or novolak))) (fluorene near3 (phenol or phenolic) adj2 (novolac or novolak))) (bisphenol adj2 fluorene) near3 ((phenol or phenolic) adj2 (novolac or novolak))) ("bisphenol s" "bisphenol-s" "bisphenol-f" "bisphenol-f" "bisphenol a" "bisphenol-a") near3 ((phenol or phenolic) adj2 (novolac or novolak)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 12:02
-	171	((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$ ) and ((hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking) adj2 agent) ) near5 (phenol or phenolic))) and ((metal alumin\$4 magnes\$4 zinc boron calcium nickel cobalt tin molybden\$5 copper iron titani\$4) near5 hydroxide ) and (((flame adj (retardant retarding proof) of (fire adj (retardant retarding proof) flameproof fireproof) same (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$ ))) and ((aromatic biphenyl benzene (diphenyl adj ether) naphthalene fluorene (bisphenol adj fluorene) "bisphenol-s" "bisphenol-f" "bisphenol-f" "bisphenol-f" "bisphenol-a" "bisphenol a" same ((hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking) adj2 agent) ) or phenol or phenolic) (phenol adj2 biphenyl adj2 aralkyl) (phenol adj2 phenylene adj2 aralkyl) (phenol adj2 diphenyl adj2 ether adj2 aralkyl) (naphthalene near3 (phenol or phenolic) adj2 (novolac or novolak))) (anthracene near3 (phenol or phenolic) adj2 (novolac or novolak))) (biphenylene near3 (phenol or phenolic) adj2 (novolac or novolak))) (fluorene near3 (phenol or phenolic) adj2 (novolac or novolak))) (bisphenol adj2 fluorene) near3 ((phenol or phenolic) adj2 (novolac or novolak))) ("bisphenol s" "bisphenol-s" "bisphenol-f" "bisphenol-f" "bisphenol a" "bisphenol-a") near3 ((phenol or phenolic) adj2 (novolac or novolak)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/15 12:02
-	1418	(phenol adj2 biphenyl adj2 aralkyl) (phenol adj2 phenylene adj2 aralkyl) (phenol adj2 diphenyl adj2 ether adj2 aralkyl) (naphthalene near3 (phenol or phenolic) adj2 (novolac or novolak))) (anthracene near3 (phenol or phenolic) adj2 (novolac or novolak))) (biphenylene near3 (phenol or phenolic) adj2 (novolac or novolak))) (fluorene near3 (phenol or phenolic) adj2 (novolac or novolak))) (bisphenol adj2 fluorene) near3 ((phenol or phenolic) adj2 (novolac or novolak))) ("bisphenol s" "bisphenol-s" "bisphenol-f" "bisphenol-f" "bisphenol a" "bisphenol-a") near3 ((phenol or phenolic) adj2 (novolac or novolak)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/16 09:47
-	398100	epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/16 09:48

-	180724	(metal alumin\$4 magnesi\$4 zinc boron calcium nickel cobalt tin molybden\$5 copper iron titani\$4) near\$ hydroxide	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/16 09:49
-	240	((phenol adj2 biphenyl adj2 aralkyl) (phenol adj2 phenylene adj2 aralkyl) (phenol adj2 diphenyl adj2 ether adj2 aralkyl) (naphthalene near3 ((phenol or phenolic) adj2 (novolac or novolak))) (anthracene near3 ((phenol or phenolic) adj2 (novolac or novolak))) (biphenylene near3 ((phenol or phenolic) adj2 (novolac or novolak))) (fluorene near3 ((phenol or phenolic) adj2 (novolac or novolak))) ((bisphenol adj2 fluorene) near3 ((phenol or phenolic) adj2 (novolac or novolak))) ((("bisphenol s" "bisphenol-s" "bisphenol-f" "bisphenol f" "bisphenol a" "bisphenol-a") near3 ((phenol or phenolic) adj2 (novolac or novolak))) and (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$ ) and ((metal alumin\$4 magnesi\$4 zinc boron calcium nickel cobalt tin molybden\$5 copper iron titani\$4) near\$ hydroxide )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/16 09:50
-	10153	((hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking) adj2 agent) ) near\$ (phenol or phenolic))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/16 09:51
-	91	(((((phenol adj2 biphenyl adj2 aralkyl) (phenol adj2 phenylene adj2 aralkyl) (phenol adj2 diphenyl adj2 ether adj2 aralkyl) (naphthalene near3 ((phenol or phenolic) adj2 (novolac or novolak))) (anthracene near3 ((phenol or phenolic) adj2 (novolac or novolak))) (biphenylene near3 ((phenol or phenolic) adj2 (novolac or novolak))) (fluorene near3 ((phenol or phenolic) adj2 (novolac or novolak))) ((bisphenol adj2 fluorene) near3 ((phenol or phenolic) adj2 (novolac or novolak))) ((("bisphenol s" "bisphenol-s" "bisphenol-f" "bisphenol f" "bisphenol a" "bisphenol-a") near3 ((phenol or phenolic) adj2 (novolac or novolak))) and (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$ ) and ((metal alumin\$4 magnesi\$4 zinc boron calcium nickel cobalt tin molybden\$5 copper iron titani\$4) near\$ hydroxide ) and (((hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking) adj2 agent) ) near\$ (phenol or phenolic))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/16 09:51
-	654977	(flame adj (retardant retarding proof) of (fire adj (retardant retarding proof) flameproof fireproof	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/16 09:54
-	51	(((((phenol adj2 biphenyl adj2 aralkyl) (phenol adj2 phenylene adj2 aralkyl) (phenol adj2 diphenyl adj2 ether adj2 aralkyl) (naphthalene near3 ((phenol or phenolic) adj2 (novolac or novolak))) (anthracene near3 ((phenol or phenolic) adj2 (novolac or novolak))) (biphenylene near3 ((phenol or phenolic) adj2 (novolac or novolak))) (fluorene near3 ((phenol or phenolic) adj2 (novolac or novolak))) ((bisphenol adj2 fluorene) near3 ((phenol or phenolic) adj2 (novolac or novolak))) ((("bisphenol s" "bisphenol-s" "bisphenol-f" "bisphenol f" "bisphenol a" "bisphenol-a") near3 ((phenol or phenolic) adj2 (novolac or novolak))) and (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$ ) and ((metal alumin\$4 magnesi\$4 zinc boron calcium nickel cobalt tin molybden\$5 copper iron titani\$4) near\$ hydroxide ) and (((hardener curative crosslinker (cross adj linker) ((curing hardening crosslinking (cross adj linking) adj2 agent) ) near\$ (phenol or phenolic)) ) and ((flame adj (retardant retarding proof) of (fire adj (retardant retarding proof) flameproof fireproof	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/16 10:47
-	3	"\$756564"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/16 10:52

-	2	"6156865"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/16 10:52
-	3	"6310147"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/16 11:22
-	0	"6310147" and ((metal alumin\$4 magnesi\$4 zinc boron calcium nickel cobalt tin molybden\$5 copper iron titani\$4) near\$5 hydroxide )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/16 11:22
-	1	"6310147" and hydroxide	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/16 13:14
-	40	(((phenol adj2 biphenyl adj2 aralkyl) (phenol adj2 phenylene adj2 aralkyl) (phenol adj2 diphenyl adj2 ether adj2 aralkyl) (naphthalene near3 ((phenol or phenolic) adj2 (novolac or novolak))) (anthracene near3 ((phenol or phenolic) adj2 (novolac or novolak))) (biphenylene near3 ((phenol or phenolic) adj2 (novolac or novolak))) (fluorene near3 ((phenol or phenolic) adj2 (novolac or novolak))) ((bisphenol adj2 fluorene) near3 ((phenol or phenolic) adj2 (novolac or novolak))) ("bisphenol s" "bisphenol-s" "bisphenol-f" "bisphenol f" "bisphenol a" "bisphenol-a" near3 ((phenol or phenolic) adj2 (novolac or novolak))) and (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$ ) and ((metal alumin\$4 magnesi\$4 zinc boron calcium nickel cobalt tin molybden\$5 copper iron titani\$4) near\$5 hydroxide ) ) and (((hardener curative crosslinker (cross adj linker) (curing hardening crosslinking (cross adj linking)) adj2 agent ) near\$5 (phenol or phenolic) ) ) not (((phenol adj2 biphenyl adj2 aralkyl) (phenol adj2 phenylene adj2 aralkyl) (phenol adj2 diphenyl adj2 ether adj2 aralkyl) (naphthalene near3 ((phenol or phenolic) adj2 (novolac or novolak))) (anthracene near3 ((phenol or phenolic) adj2 (novolac or novolak))) (biphenylene near3 ((phenol or phenolic) adj2 (novolac or novolak))) (fluorene near3 ((phenol or phenolic) adj2 (novolac or novolak))) ((bisphenol adj2 fluorene) near3 ((phenol or phenolic) adj2 (novolac or novolak))) ("bisphenol s" "bisphenol-s" "bisphenol-f" "bisphenol f" "bisphenol a" "bisphenol-a" near3 ((phenol or phenolic) adj2 (novolac or novolak))) and (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$ ) and ((metal alumin\$4 magnesi\$4 zinc boron calcium nickel cobalt tin molybden\$5 copper iron titani\$4) near\$5 hydroxide ) ) and (((hardener curative crosslinker (cross adj linker) (curing hardening crosslinking (cross adj linking)) adj2 agent ) near\$5 (phenol or phenolic) ) ) and ((flame adj (retardant retarding proof) of (fire adj (retardant retarding proof)) flameproof fireproof))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/16 13:15
-	2	jp-11140277-S.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 10:33
-	181803	(metal alumin\$4 magnesi\$4 zinc boron calcium nickel cobalt tin molybden\$5 copper iron titani\$4) near\$5 hydroxide	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 10:21
-	0	jp-11140277-S.did. and ((metal alumin\$4 magnesi\$4 zinc boron calcium nickel cobalt tin molybden\$5 copper iron titani\$4) near\$5 hydroxide )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 10:21



-	0	jp-11140277-\$\$.did. and hydroxide	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 11:12
-	0	jp-200189641-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 10:25
-	2	jp-2001089641-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 10:26
-	2	jp-11323089-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 10:26
-	2	jp-2001048957-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 10:34
-	2	jp-09208666-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 10:38
-	2	jp-11179841-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 10:39
-	2	jp-11323089-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 10:40
-	0	jp-02975349-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 10:40
-	1	jp-2975349-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 10:56
-	2	("6162878" "6242110") and ((metal alumin\$4 magnesi\$4 zinc boron calcium nickel cobalt tin molybden\$5 copper iron titani\$4) near\$ hydroxide )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 10:42
-	2	"6130282" and ((metal alumin\$4 magnesi\$4 zinc boron calcium nickel cobalt tin molybden\$5 copper iron titani\$4) near\$ hydroxide )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 10:55
-	0	jp-200053845-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 10:56

-	2	jp-2000053845-S.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 10:57
-	2	jp-11246741-S.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 10:58
-	2	jp-11140277-S.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 10:58
-	2	("6162878" "6242110") and hydroxide	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 11:12
-	6	"6162878" "6242110"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/09 11:14